


| OPTIONAL CHAIN CONTAINER |        |          |
|--------------------------|--------|----------|
| LIFT                     | PART # | "C" DIM. |
| THRU 10'                 | 805435 | 30 1/2   |
| THRU 15'                 | 805436 | 34 1/2   |
| THRU 20'                 | 805437 | 38 1/2   |

\* 2-SPEED HOIST HAS A 2 1/4 H.P. MOTOR  
 \*\* DIMENSIONS DO NOT INCLUDE FLOAT

| CAPACITY (ton) | HOIST SPEED (fpm) | MOTOR H.P. | PHASE | "A" DIMENSION** |         | "B" DIMENSION** |         |
|----------------|-------------------|------------|-------|-----------------|---------|-----------------|---------|
|                |                   |            |       | 1-SPEED         | 2-SPEED | 1-SPEED         | 2-SPEED |
| 3              | 5                 | 1          | 1     | 14 1/4          | N/A     |                 | N/A     |
| 3              | 5                 | 1          | 3     | 11 7/8          | 14 1/4  | 10 5/16         | 10 5/16 |
| 3              | 10                | 2 1/2*     | 3     | 14 1/4          |         |                 | 11 5/16 |

| NO.                                    | CHANGE | DATE        | ITL. | CLEARANCE DIAGRAM  |  |
|--|--------|-------------|------|--|--|
|  |        |             |      | 3 TON ELECTRIC CHAIN HOIST   |  |
|  |        |             |      | LUG SUSPENSION   |  |
|  |        |             |      | WITH MOTOR DRIVEN TROLLEY  |  |
|  |        | DA. 2/09/07 |      | <br>division of Columbus McKinnon Corporation<br>Muskegon, Michigan 49443 |  |
|  |        | DR. MDH     |      |  |  |
|  |        | CK.         |      |  |  |
|  |        | AP.         |      | 23470020   |  |
| EVALUATE PRODUCT ASSEMBLY PER ENG-5-76 |        |             |      |  |  |